



## MRCA SHARP Video Series: New Employee Orientation Video Quiz



Full Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Last First

Employer: \_\_\_\_\_ Instructor: \_\_\_\_\_

### Company Vehicles and Equipment

1. **True False:** Drivers must have a valid driver's license to drive a company vehicle.
2. **True False:** You shall be trained and authorized to operate any piece of equipment at your workplace.

### Distracted Driving/Working Guidelines

3. **True False:** It is OK to text while being stopped at a traffic control device.
4. **True False:** Company policies on cell phone use must be followed every day.

### Drug, Alcohol & Prohibited Articles Policy

5. **True False:** Alcohol is prohibited on company property and on all work sites.
6. **True False:** Prescription medication borrowed from a co-worker is OK to use on company property.

### Hazard Communication

7. **True False:** You should never remove a label from a product that contains hazardous components.
8. **True False:** SDS sheets are used to indicate how secure a lid is on a product.

### Proper Work Clothing

9. **True False:** Shorts and sandals are acceptable clothing for commercial work.
10. **True False:** Ankle high boots are better to use than low boots on a job site.

### Personal Protective Equipment

11. Personal Protective Equipment that may be worn by a roofer may include:
  - a. **Hardhats**
  - b. **Gloves**
  - c. **Eye Protection**
  - d. **Hearing Protection**
  - e. **All of the above**

# MRCA SHARP Video Series: New Employee Orientation Video Quiz

Full Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Last First

## Ladder Safety

12. **True False:** Getting on, or off, the top of a ladder is the most dangerous part.
13. You should inspect a ladder before use. Things to look for include:
- a. **Cracks or chips**
  - b. **Warps or bent ladder components**
  - c. **Missing rungs or ladder feet**
  - d. **All of the above**
14. What is the proper angle to set up an extension ladder?
- a. **1:1**
  - b. **2:1**
  - c. **3:1**
  - d. **4:1**
15. How far above the roof edge should a ladder extend?
- a. **It should be even with the roof edge**
  - b. **1 foot**
  - c. **2 feet**
  - d. **3 feet**

## Fall Protection

16. **True False:** Fall protection should be utilized any time there is a fall hazard of six feet or more.
17. **True False:** Falls are the number one cause of death and serious injury among roof mechanics.

## Guardrail Systems

18. **True False:** Guardrails are typically used at equipment and material loading areas.
19. **How many pounds of force must the top rail of a guardrail system resist?**
- a. **50 lbs**
  - b. **100 lbs**
  - c. **150 lbs**
  - d. **200 lbs**

## MRCA SHARP Video Series: New Employee Orientation Video Quiz

Full Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Last First

### Personal Fall Arrest System

20. **True False:** Body belts are no longer allowed as a form of fall protection.
21. **True False:** You should inspect all components of your equipment before and after usage.
22. When using a personal fall arrest system, the anchor shall be capable of holding how many pounds per person attached to the anchor?
- a. **100 lbs**
  - b. **2000 lbs**
  - c. **5000 lbs**
  - d. **8000 lbs**

### Warning Line Systems

23. **True False:** Warning line systems are the last form of fall protection between you and the roof's edge.
24. How high do your warning lines need to be set at?
- a. 15-20 inches above the roof surface
  - b. 25-30 inches above the roof surface
  - c. 34-39 inches above the roof surface
  - d. 45-50 inches above the roof surface

### Safety Monitor Systems

25. **True False:** No special training is required to be a safety monitor.
26. What are the requirements of the safety monitor?
- a. **Direct work outside of the warning lines**
  - b. **Ensure that workers are performing their tasks safely**
  - c. **Stop work when tasks cannot be performed safely**
  - d. **All of the above**

### Roofing Safety

#### **Hazardous Chemicals**

27. **True False:** Any time adhesives are being used, smoking is prohibited.
28. **True False:** Chemical use may require special personal protective equipment such as rubber gloves or eye protection.

# MRCA SHARP Video Series: New Employee Orientation Video Quiz

Full Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Last First

## Working Around Hot

29. **True False:** Applications that are applied in extremely high temperatures, such as Bitumen, are referred to as Hot.
30. What PPE should be worn when working with hot asphalt?
- Long sleeve cotton shirts**
  - Long sleeve cotton pants without cuffs**
  - Cotton gloves with tight wrists**
  - Ankle high leather boots**
  - All of the above**

## Extension Cords & Power Tools

31. **True False:** Ground fault circuit interrupters (GFCI's) are not required with extension cords.
32. **True False:** Extension cords can be plugged into each other to make a longer cord.

## Fall & Tripping Hazards

33. **True False:** Good housekeeping is part of preventing tripping hazards.
34. What needs to be done to properly cover a roof opening?
- Cover with material capable of holding twice the intended load
  - Secure the hole cover from accidental displacement
  - Mark the hole cover with the words "hole" or "cover"
  - All of the above

## Fire Hazards

35. **True False:** No matter what type of chemical or roofing application you may be working with there is always a chance that a fire will occur.
36. **True False:** It is OK to have an extinguisher that does not have a current inspection tag.

## Lifting Hazards

37. **True False:** Heavy objects are best held at an arm's length away.
38. **Lifting safety includes the following:**
- Use lifts or equipment when possible**
  - Lift with your legs, keep you back straight, and keep the load close to your body when lifting a load.**
  - Ask for help when needed**
  - All of the above**

# MRCA SHARP Video Series: New Employee Orientation Video Quiz

Full Name: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Last First

## Heat Stress

39. **True False:** As the heat index increases the hazards associated with working in high temperatures increase.
40. **True False:** When working in hot temperatures you should drink 15-20 oz. of water every 20-30 minutes.

## Safety and Health Enforcement Compliance Program

41. **True False:** Following safety and health rules and guidelines established by your company helps the safety of yourself and your co-workers.
42. **True False:** Shortcuts are more important than safety.

## QUIZ SCORING

Correct Answers:	_____
- Incorrect Answers:	_____
= Score*:	_____ 100%= 42 correct; 85%=36 correct; 70%=30 correct

**\*A score of 70%, or more, is a passing grade.**

**A total score of 30, or more, correct answers is required to pass.**



**MRCA SHARP Video Series: New Employee  
Orientation Video Quiz  
ANSWER SHEETS & KEY**



Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_

Employer: \_\_\_\_\_ Instructor: \_\_\_\_\_

**Company Vehicles and Equipment**

1. **True** **False**: Drivers must have a valid driver's license to drive a company vehicle.
2. **True** **False**: You shall be trained and authorized to operate any piece of equipment at your workplace.

**Distracted Driving/Working Guidelines**

3. **True** **False**: It is OK to text while being stopped at a traffic control device.
4. **True** **False**: Company policies on cell phone use must be followed every day.

**Drug, Alcohol & Prohibited Articles Policy**

5. **True** **False**: Alcohol is prohibited on company property and on all work sites.
6. **True** **False**: Prescription medication borrowed from a co-worker is OK to use on company property.

**Hazard Communication**

7. **True** **False**: You should never remove a label from a product that contains hazardous components.
8. **True** **False**: SDS sheets are used to indicate how secure a lid is on a product.

**Proper Work Clothing**

9. **True** **False**: Shorts and sandals are acceptable clothing for commercial work.
10. **True** **False**: Ankle high boots are better to use than low boots on a job site.

**Personal Protective Equipment**

11. Personal Protective Equipment that may be worn by a roofer may include:
  - a. **Hardhats**
  - b. **Gloves**
  - c. **Eye Protection**
  - d. **Hearing Protection**
  - e. **All of the above**

# MRCA SHARP Video Series: New Employee Orientation Video Quiz

## ANSWER SHEET

### Ladder Safety

12. **True** **False**: Getting on, or off, the top of a ladder is the most dangerous part.
13. You should inspect a ladder before use. Things to look for include:
- a. Cracks or chips
  - b. Warps or bent ladder components
  - c. Missing rungs or ladder feet
  - d. **All of the above**
14. What is the proper angle to set up an extension ladder?
- a. 1:1
  - b. 2:1
  - c. 3:1
  - d. **4:1**
15. How far above the roof edge should a ladder extend?
- a. It should be even with the roof edge
  - b. 1 foot
  - c. 2 feet
  - d. **3 feet**

### Fall Protection

16. **True** **False**: Fall protection should be utilized any time there is a fall hazard of six feet or more.
17. **True** **False**: Falls are the number one cause of death and serious injury among roof mechanics.

### Guardrail Systems

18. **True** **False**: Guardrails are typically used at equipment and material loading areas.
19. How many pounds of force must the top rail of a guardrail system resist?
- a. 50 lbs
  - b. 100 lbs
  - c. 150 lbs
  - d. **200 lbs**

## MRCA SHARP Video Series: New Employee Orientation Video Quiz ANSWER SHEET

### Personal Fall Arrest System

20. **True** **False**: Body belts are no longer allowed as a form of fall protection.
21. **True** **False**: You should inspect all components of your equipment before and after usage.
22. When using a personal fall arrest system, the anchor shall be capable of holding how many pounds per person attached to the anchor?
- a. 100 lbs
  - b. 2000 lbs
  - c. 5000 lbs**
  - d. 8000 lbs

### Warning Line Systems

23. **True** **False**: Warning line systems are the last form of fall protection between you and the roof's edge.
24. How high do your warning lines need to be set at?
- a. 15-20 inches above the roof surface
  - b. 25-30 inches above the roof surface
  - c. 34-39 inches above the roof surface**
  - d. 45-50 inches above the roof surface

### Safety Monitor Systems

25. **True** **False**: No special training is required to be a safety monitor.
26. What are the requirements of the safety monitor?
- a. **Direct work outside of the warning lines**
  - b. **Ensure that workers are performing their tasks safely**
  - c. **Stop work when tasks cannot be performed safely**
  - d. All of the above**

### Roofing Safety

#### **Hazardous Chemicals**

27. **True** **False**: Any time adhesives are being used, smoking is prohibited.
28. **True** **False**: Chemical use may require special personal protective equipment such as rubber gloves or eye protection.



## MRCA SHARP Video Series: New Employee Orientation Video Quiz ANSWER SHEET

### Working Around Hot

29. **True** **False**: Applications that are applied in extremely high temperatures, such as Bitumen, are referred to as Hot.
30. What PPE should be worn when working with hot asphalt?
- a. Long sleeve cotton shirts
  - b. Long sleeve cotton pants without cuffs
  - c. Cotton gloves with tight wrists
  - d. Ankle high leather boots
  - e. **All of the above**

### Extension Cords & Power Tools

31. **True** **False**: Ground fault circuit interrupters (GFCI's) are not required with extension cords.
32. **True** **False**: Extension cords can be plugged into each other to make a longer cord.

### Fall & Tripping Hazards

33. **True** **False**: Good housekeeping is part of preventing tripping hazards.
34. What needs to be done to properly cover a roof opening?
- a. Cover with material capable of holding twice the intended load
  - b. Secure the hole cover from accidental displacement
  - c. Mark the hole cover with the words "hole" or "cover"
  - d. **All of the above**

### Fire Hazards

35. **True** **False**: No matter what type of chemical or roofing application you may be working with there is always a chance that a fire will occur.
36. **True** **False**: It is OK to have an extinguisher that does not have a current inspection tag.

### Lifting Hazards

37. **True** **False**: Heavy objects are best held at an arm's length away.
38. Lifting safety includes the following:
- a. Use lifts or equipment when possible
  - b. Lift with your legs, keep you back straight, and keep the load close to your body when lifting a load.
  - c. Ask for help when needed
  - d. **All of the above**

## MRCA SHARP Video Series: New Employee Orientation Video Quiz ANSWER SHEET

### Heat Stress

39. **True** **False**: As the heat index increases the hazards associated with working in high temperatures increase.
40. **True** **False**: When working in hot temperatures you should drink 15-20 oz. of water every 20-30 minutes.

### Safety and Health Enforcement Compliance Program

41. **True** **False**: Following safety and health rules and guidelines established by your company helps the safety of yourself and your co-workers.
42. **True** **False**: Shortcuts are more important than safety.

### QUIZ SCORING

Correct Answers: \_\_\_\_\_

-Incorrect Answers: \_\_\_\_\_

\*Score= \_\_\_\_\_ 100%= 42 correct; 80%=34 correct; 70%=30 correct

**\*A score of 70%, or more, is a passing grade. A total score of 30, or more, correct answers is required to pass.**

**\*ANSWER SHEET KEY ON NEXT PAGE**

**MRCA SHARP Video Series: New Employee Orientation Video Quiz  
ANSWER SHEET KEY**

<b>Question</b>	<b>Answer</b>
1.	True
2.	True
3.	False
4.	True
5.	True
6.	False
7.	True
8.	False
9.	False
10.	True
11.	E-All
12.	True
13.	D-All
14.	D-4:1
15.	D-3 ft.
16.	True
17.	True
18.	True
19.	D-200
20.	True
21.	True

<b>Question</b>	<b>Answer</b>
22.	C-5000
23.	True
24.	C-34-39”
25.	False
26.	D-All
27.	True
28.	True
29.	True
30.	E-All
31.	False
32.	False
33.	True
34.	D-All
35.	True
36.	False
37.	True
38.	D-All
39.	True
40.	False
41.	True
42.	False