4730-2-06 Physician assistant formulary.

- (A) This formulary, as contained in the appendix to this rule, is established for individuals who hold a current, valid certificate to practice as a physician assistant and either a current, valid provisional certificate to prescribe or a certificate to prescribe issued by the board, and who have been authorized to prescribe pursuant to a board approved supervisory plan or the policies of the health care facility in which the physician assistant is practicing. The formulary does not authorize a physician assistant to prescribe any schedule II controlled substance or any drug or device used to perform or induce an abortion.
- (B) For purposes of the physician assistant formulary:
 - (1) "CTP" means either a provisional certificate to prescribe or a certificate to prescribe issued by the board pursuant to section 4730.44 of the Revised Code.
 - (2) "CTP holder may not prescribe" means medications in the category may not be prescribed by any CTP holder for any indication.
 - (3) "CTP holder may prescribe" means medications in the category may be prescribed by any CTP holder as appropriate.
 - (4) "Physician initiated/consultation" means that either the supervising physician must initiate the drug after personally evaluating the patient or the physician assistant must consult with the supervising physician by direct, real time communication prior to initiating the drug.
 - (5) "Therapeutic device" means an instrument, apparatus, implement, machine, contrivance, implant, in vitro reagent, or other similar or related article, including a component part, or accessory which is intended to affect the structure or any function of the body and which does not achieve any of its primary intended purposes through chemical action within or on the body and which is not dependent upon being metabolized for the achievement of any of its primary intended purposes. Therapeutic device includes any device subject to regulation by the "Food and Drug Administration."
- (C) All physician assistant prescribing shall be in compliance with the supervisory plan under which the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing, as may be restricted by the supervising physician.
- (D) All drugs and therapeutic devices shall be prescribed in accordance with the

4730-2-06

- manufacturer's package insert, the "United States Parmacopoeia," and the minimal standard of care.
- (E) Drugs may be prescribed for purposes other than "Food and Drug Administration" indications when both of the following requirements are met:
 - (1) The purpose is supported by current peer review literature, which emanates from a recognized body of knowledge; and
 - (2) Prescribing for the purpose is authorized by the supervising physician under whom the physician assistant is prescribing or the policies of the health care facility in which the physician assistant is prescribing.
- (F) In order for a physician assistant to prescribe a combination medication, each component drug must be listed on the formulary as "CTP holder may prescribe" or the combination medication itself must be listed on the formulary as "CTP holder may prescribe."
- (G) For medications that are denoted "Physician initiated/consultation," both of the following requirements apply:
 - (1) The supervising physician's initiation of the drug or the prior consultation between the physician assistant and the supervising physician shall be documented in the patient record; and
 - (2) The physician assistant shall consult with the supervising physician before changing the dosage of the drug or before renewing a prescription when there is a change in patient status. The consultation shall be documented in the patient record.
- (H) A drug approved by the "Food and Drug Administration" subsequent to the effective date of this rule shall not be prescribed by a physician assistant until it is reviewed and added to the formulary.
- (I) The prescription of oxygen and plasma expanders is regulated by the Ohio state board of pharmacy and requires the physician assistant to hold a current, valid certificate to prescribe.
- (J) A physician assistant's prescription of therapeutic devices shall be in compliance with both of the following:

4730-2-06

(1) The physician assistant may only prescribe a therapeutic device that has been approved by the "Food and Drug Administration" and which the supervising physician prescribes in the routine course of practice for the specific use approved by the "Food and Drug Administration;" and

- (2) The physician assistant shall not prescribe a therapeutic device that federal or state statute, rule, or regulation prohibits the physician assistant from using.
- (K) A physician assistant, with or without physician delegated prescriptive authority, may order blood products with physician initiation or consultation, consistent with the physician assistant's supervisory plan or the policies of the health care facility, as applicable.

Effective: 07/30/2010

R.C. 119.032 review dates: 02/28/2013

CERTIFIED ELECTRONICALLY

Certification

07/19/2010

Date

Promulgated Under: 119.03 Statutory Authority: 4730.39

Rule Amplifies: 4730.39, 4730.40

Prior Effective Dates: 2/28/08

ENACTED Appendix 4730-2-06

DATE: 07/19/2010 3:52 PM

(1) ANTI-INFECTIVES,	CTP holder may NOT	CTP holder	Physician
	ing the same of th	70 mm	initiated/consulted
SYSTEMIC:	psescribe	may prescribe	Come to small these
Antibiotics			
Penicillins		X	
Cephalosporins and related		Х	
antibiotics			
Carbapenem; monobactams		X	
Chloramphenicol	X		
Quinolones; flouroquinolones;		X	
tetracyclines; macrolides;			
spectinomycin; Ketolides			
Vancomycin		PO	IV
Lincosamides	X	10	IV
Clindamycin		X	
Aminogylcosides: parenteral;		^	Х
nebulized			^
Aminoglycosides: oral		X	
Colistimethate sodium;		Х	
Polymyxin B sulfate; bacitracin			
Metronidazole		X	
Novobiocin	X		
Sulfonamides		X	
Nitrofurans		Х	_
Methenamines		Х	
Folate antagonists		X	
Miscellaneous		X	
anti-infectives/antiseptics			
Antibiotic combinations		X	
Antifungal agents			
IV route of administration			Χ
PO; topical		Х	
Antimalarial preparations		X	
Antituberculosal agents		PO	IV
Amebicides		X	
Antiviral agents:			
Foscarnet sodium;		PO	IV
Ganciclovir; Valganciclovir		. •	
Anti-herpes Virus Agents			
Acyclovir;		PO	IV
Famciclovir; Valacyclovir			
hydrochloride			
Amantadine hydrochloride		X	
Cidofovir	X	^	
Ribavirin			Х
Rimantadine		X	^
Zanamivir		X	
		X	
Oseltamivir phosphate		^	
Adefovir dipivoxil			X
Entecavir			Χ
Antiretroviral agents			

Leprostatics			X
Antiprotazoals			X
Nitazoxanide		X	
Metronidazole		X	
Anthelmintics		X	
CDC anti-infective agents: not	X	7.	
commerically available	^		
(2) ANTINEOPLASTIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Alkylating agents	X		
Estramustine (Emcyt)	X		
Antimetabolites	X		
Antimitotic agents	X		
Epipodophyllotoxins	X		
Antibiotics	X		
Hormones	X		
Androgens; Progestins: Estrogens; Estrogen/Nitrogen Mustard	X		
Antiandrogens:			
Antiandrogens: Bicultamide,			
Nilutamide	X		
Estramustine (Emcyt)	X		
Antiestrogens:	, , , , , , , , , , , , , , , , , , ,		
Antiestrogens Antiestrogens			Х
Gonadotropin-Releasing			
Hormone Analog	X		
Hormones continued			
Aromatase Inhibitors			
Exemestane, Amastrozole,			
Letrozole			X
Enzymes	X		
Radiopharmaceuticals	X		
Platinum Coordination complex; Anthracenedione; Substituted ureas; Methylhydrazine derivatives; Cytoprotective Agents; DNA demethethylation agents;			
Imidazotetrazine derivatives, Protein-tyrosine kinase inhibitors, DNA Topoisomerase inhibitors; Biological	X		
Epidermal growth factor receptor inhibitors: Gefitinib	X		
Proteasome inhibitors: Bortezomib	X		

(3) BIOLOGIC/ THEMUNOLOGIC AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient
			record)
Immune globulins	· · · · · ·	X	Barrier
Agents for primary Immune			
Deficiency (Vivaglobulin)			Χ
Monoclonal antibody			
Palivizumab (Synagis)			Х
Eculizumab (Solaris)	X		
Antitoxins and antivenins		Χ	
Agents for active			
immunizations		X	
Allergenic extracts			Χ
Immunologic agents			
Immunostimulants			X
Immunosuppressives			X
Immunomodulators			X
Revlimid	Х		
Antirheumatic agents			Χ
(4) CARDIOVASCULAR AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician. initiated/consulted (formal documentation required in the patient record)
Inotropic agents:			
Digoxin oral		X	
digoxin injection			Х
inamrinone lactate	X		
milrinone lactate	X		
Antiarrhythmic agents:			
Ibutilide Fumarate	X		
Quinidine Sulfate			X
Quinidine Gluconate			X
Quinidine Gluconate injection			Х
Quinidine Gluconate oral			Х
Procainamide Hydrochloride			
oral			x
Procainamide Hydrochloride	-		
injection			x
Disopyramide	×		
Flecainide Acetate	×		
Mexiletine Hydrochloride	x		
Propafenone Hydrochloride	×		-
Amiodarone Hydrochloride Oral			х
A ' 1 11 1 11 11	_		
Amiodarone Hydrochioride			
Amiodarone Hydrochloride Injection			x
Injection Adenosine		_	X X
Injection	X		

Coloium shannel blocking			
Calcium channel blocking		РО	IV
agents		FO	X
Adenosine phosphate			A
Vasodilators Bosentan	X		
Nesiritide	^		X
		PO/	^
Nitrates			13.7
B. C. L. and B. C. and B. C. and		Transdermal	IV
Peripheral vasodilators			
Epoprostenol	~		
Sodium/Treprostinil Sodium	X	РО	
Hydralazine Hydrochloride	V	PU	IV
Isoxsuprine Hydrochloride	X		
Papaverine Hydrochloride	X		
lloprost	X		
Minoxidil			X
Peripheral vasodilators		v	
combinations		Х	
Antiadrenergics/sympatholyti			
cs		D.O.	D. (
Beta-blockers		РО	IV
Alpha/beta adrenergics		РО	IV
Anti-adrenergic agents:			
centrally acting, peripherally			
acting		PO	١V
Renin angiotensin system			n.,
antagonists		PO	IV
Antihypertensive combinations			
		X	
Agents for pheochromocytoma			
			X
Agents for hypertensive			
emergencies:			
Nitroprusside sodium;			
Diazoxide;			
Fenoldopam mesylate			X
Trimethaphan camsylate	X		
Antihyperlipidemic agents			
(simvastatin, ezetimibe)		X	
Antihyperlipidemic agents:			
combination agents (includes			
simvastatin/ezetimibe			
combination products)		v	
		X	
Omega-3 acid ethyl esters			
(Omacor)		X	
Vasopressors used in shock			X
EpiPen; Epipen Jr			
Hypersensitivity reactions;			
bronchospasm	<u> </u>	X	
Cardioplegic solutions	X		

Agente for Petent Duetue			
Agents for Patent Ductus			
Arteriosus: including			
indomethacin			X
Sclerosing agents			X
Miscellaneous antianginal agents (Ranexa)			x
	A 34 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Physician
	And the second s		initiated/consulted
(5) CENTRAL NERVOUS	CTP holder may NOT	CTP holder	(formal documentation
SYSTEM AGENTS:	prescribe	may prescribe	required in the patient
		Forest	(bncom)
CNS stimulants	transferred and traditions of the time better arranged and the best transferred of		
Analeptics:			
Caffeine			X
	X		
Doxapram HCI			
Modafinil (Provigil)			X
Amphetamines;	v		
Methylphenidate HCL;	X		
Anorexiants			
A physician must prescribe in			
accordance with medical board			
rules:			
http://www.med.ohio.gov/rules/			
current/11-04.htm	X		
Opioid analgesics			
opioids (non schedule II) DEA			
REGISTRATION REQUIRED			
		X	
Narcotic analgesic			
combinations: including			1
mixtures with codeine			
phosphate: DEA			J
Registration Required			
Registration Required		X	
Narcotic Agonist-Antagonist			
Analgesics: DEA			
REGISTRATION REQUIRED			ŀ
REGISTRATION REQUIRED		x	
Buprenex		X Analgesia	
Buplellex		only	
Analgesics: non-scheduled		Orny	
		x	
drugs			
Buprenorphine HCL and			
naloxone HCL			
(Suboxone)	V		
Sublingual TABLETS	X		
Buprenorphine HCL (Subutex)			
Sublingual TABLETS			
	X		
Central analgesics		X	
NSAIDs		X	

		1	
Miscellaneous Analgesics:			
Ziconotide	X		
Agents for migraine		X	
Antiemetic/antivertigo agents			
For Emend see below		X	
Aprepitant (Emend)			X
Antianxiety agents:			
Benzodiazepines; DEA			
REGISTRATION REQUIRED		X	
Miscellaneous antianxiety			
agents		X	
Meprobamate		Х	
Antidepressants			
Tricyclic compounds		Х	
Amoxapine		X	
Tetracyclic compounds;	-	, , , , , , , , , , , , , , , , , , ,	
trazodone; Bupropion;		×	
venlafexine_	_	x	
Nefazodone			
Serotonin & norepinephrine			
reuptake inhibitors (Cymbalta)			
		X	
SSRIs		X	
MAO inhibitors	X		
Antipsychotic agents:			
Clozapine; thioridizine;			.,
Mesoridazine			Χ
Phenothiazine derivatives;			
Thioxanthine derivatives;			
Phenylbutylpiperidine			
derivatives; Dihydroindolone			
derivatives; Dibenzapine			
derivatives; Benzisoxazole			
derivatives; Quinolinone			
derivative			X
Lithium			X
NMDA receptor antagonists			
(Namenda)			
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		X	
Cholinesterase inhibitors		X	
Miscellaneous			
psychotherapeutic agents:			
DEA REGISTRATION WHERE			
APPLICABLE Chlordiazanovida 8			
Chlordiazepoxide &			
Chlordiazepoxide & amitriptyline; ergoloid			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate;			
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate; olanzapine & fluoxetine HCl;		•	
Chlordiazepoxide & amitriptyline; ergoloid mesylates (includes hydergine); sodium oxybate;		X	X

Sedatives and hypnotics,			
nonbarbiturates WITH DEA			
WHERE APPLICABLE			
Imidazopyridines; ureides			
(Ambien)		X	
Tertiary acetylenic alcohols			
(ethchlorvynol)	X		
Piperidine derivatives:			
Glutethamide	X		
Benzodiazepines		X	
Chloralhydrate; paraldehyde			X
Propiomazine HCI			Х
Dexmedetomidine HCI			
(Precedex)	X		
Melatonin receptor agonists			
(Rozerem)		X	
Eszopiclone (Lunesta)		Х	
Pyrazolopyrimidine (Sonata)		X	
Non-prescription sleep aids			
		X	
Sedatives and hypnotics;			
barbiturates; non schedule II			
Long-acting			X
Intermediate-acting	X		
Short-acting	X		
Oral combinations	X		
General anesthetics:			
Barbiturates, gases, volatile			
liquids Includes Propofol	X		
Injectable local anesthetics			
injectable local allestifeties			
injeotable local allestileties		X	
Anticonvulsants *		X	
Anticonvulsants * Hydantoins; succinimides;		X	
Anticonvulsants *		X	anticonvulsants thes
Anticonvulsants * Hydantoins; succinimides;		X	anticonvulsants thes drugs must be
Anticonvulsants * Hydantoins; succinimides;			anticonvulsants thes drugs must be physician initiated. F
Anticonvulsants * Hydantoins; succinimides;		×	anticonvulsants thes drugs must be physician initiated. F all other uses they a
Anticonvulsants * Hydantoins; succinimides;			anticonvulsants thes drugs must be physician initiated. F all other uses they a CTP holder may
Anticonvulsants * Hydantoins; succinimides;			anticonvulsants thes drugs must be physician initiated. F all other uses they a CTP holder may prescribe for all othe
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *			anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may prescribe for all othe approved uses.
Anticonvulsants * Hydantoins; succinimides;			anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may prescribe for all othe approved uses. * When prescribed a
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *			anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may prescribe for all othe approved uses. * When prescribed a anticonvulsants thes
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *			anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may prescribe for all othe approved uses. * When prescribed a anticonvulsants thes drugs must be
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *		х	anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may prescribe for all othe approved uses. * When prescribed a anticonvulsants thes drugs must be physician initiated. F
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *		x see notes under central nervous	anticonvulsants thes drugs must be physician initiated. F all other uses they a CTP holder may prescribe for all other approved uses. * When prescribed a anticonvulsants thes drugs must be physician initiated. F all other uses they are
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *		x see notes under central nervous	anticonvulsants thes drugs must be physician initiated. F all other uses they a CTP holder may prescribe for all othe approved uses. * When prescribed a anticonvulsants thes drugs must be physician initiated. F all other uses they at CTP holder may
Anticonvulsants * Hydantoins; succinimides; Sulfonamides *		x see notes under central nervous	physician initiated. For all other uses they are CTP holder may prescribe for all other approved uses. * When prescribed as anticonvulsants these drugs must be physician initiated. For all other uses they are

			(1. t.a.n.
Carbemazepine; oxcarbemazepine; Magnesium sulfate; acetazolamide *			* When prescribed as anticonvulsants these drugs must be
		x	physician initiated. For all other uses they are CTP holder may prescribe for all other
			approved uses.
Adjuvant anticonvulsants: Felbamate; Gabapentin;			* When prescribed as anticonvulsants these
Lamotrigine; Pregabaline;			drugs must be
Levetiracetam; Primidone;		x	physician initiated. For
Tiagabine; Topiramate;			all other uses they are CTP holder may
Valproic acid and derivatives *			prescribe for all other approved uses.
Muscle relaxants – adjuncts			approved uses.
to anesthesia	X		
Skeletal muscle relaxants			
Centrally-acting		Х	
Direct-acting		Х	
Combination		Х	
Antiparkinson agents		X	
Selegiline transdermal system	X		
Cholinergic muscle stimulants			x
Antialcoholic		X	
Smoking deterrants		X	
Riluzole	X		
Physical adjuncts:			
chymopapain; hyaluronic acid			
derivatives			X
Poly-L-Lactic Acid	X		
Botulinum Toxin Type A	X		
Botulinum Toxin Type B		do . 1888 at the	X
(6) Debut (10 to colic "AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician inflated/consulted (formal documentation
			required in the patient record)
Antihistamine preparations,			
topical		X	
Anti-infectives, topical		X	
Anti-inflammatory agents		Х	
Anti-psoriatic agents			
Ammoniated mercury	X		
Anthralin; calcipotriene;			
selenium sulfide		X	
Methotrexate			X
Antiseborrheic products		X	

agents; drying agents Enzyme preparations		X	
Hyaluronidase		X	
Collagenase; topical enzyme			
combinations		X	
Immunomodulator, topical			
Keratolytic agents		X	
Liver Derivative Complex		X	
Local anesthetics, topical		X	
Minoxidil		Х	
Photochemotherapy; pigment agents	X		
Poison ivy products, topical			
Pyrimidine antagonist, topical			
		X	
Pyrithione zinc		Х	
Retinoids			
Adapalene		X	
First generation retinoids:			
isotretinoin	X		
Tretinoin topical		X	
Second generation retinoids:			
Acitretin	X		
Alitretinoin	X		
Tazarotene		X	
Scabicides/pediculicides		X	
Wound healing agents:		X	
Emollients; protectants;			
sunscreens; ointments and			
lotion bases; rubs and			
liniments		X	
Topical combinations,			
miscellaneous dressings and			
granules		X	
Irrigating solutions		X	
(7) DIAGNOSTIC AIDS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient
			record)
In vitro diagnostic aids		X	
In vivo diagnostic aids		X	
In vivo diagnostic biologicals		Х	
Radiopaque agents	 	X	
(8) GASTROINTESTINAL AGENTS:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient
			(brosen

Fatanana Calantina antona	_		
Estrogens; Selective estrogen			
receptor modulator;		V	
progestins		X	
		prophylactic	
Tamoxifen		use	
Fulvestrant			
Antineoplastic agents	X		
Estrogens/Progestins			
combined		X	
Estrogen/androgen			
combinations		X	
Contraceptive hormones		X	
Ovulation stimulants		_	X
Gonadotropin-releasing			
hormones		X	
Androgens	X		
Danazol		Х	
Androgen inhibitors		X	
Anabolic steroids	X	7.	
Uterine-active agents			
Abortifacients	Х		
Prostaglandins	X		
1 Tostagianano			
Carboprost tromethamine:		X postpartum	
Hemabate		hemorrhage	
Agent for cervical ripening:		nemornage	
	x		
Dinoprostone Ovutenias including nitorin	X		
Oxytocics, including pitocin Uterine relaxants	X		
		X	
Bisphosphonates		^	
Pamidronate disodium			
injection	X		
Antidiabetic agents			
IV Insulin infusion			Χ
Insulins		X	
Inhaled insulin (Exubera)			X
Sulfonylureas		X	
Alpha-glucosiase inhibitors		X	
Amylin analog (Symlin)		X	
Incretin mimetic agents		X	
Biguanides: this category			
includes meglitinides		X	
Thiazolidinediones		X	
Dipeptidylpeptidase 4 (DPP4)			
inhibitors (Januvia)		X	
Glucose elevating agents		X	
Adrenocorticol steroids			
Adrenal steroid inhibitors	X		
Corticotropins	Х		
Glucocorticoids		X	
Mineral corticoids			X
Thyroid drugs			

Thyroid hormones		Х	_
Anti-thyroid agents			X
Parathyroid hormone			<u> </u>
Insulin-like growth factor			X
Growth hormone	X		
Growth normone			
Posterior pituitary hormones: Includes DDAVP	for diabetes insipidus and other indications	X (for primary nocturnal enuresis only)	
Vasopressin receptor			
antagonist			X
Octreotide acetate;			
imiglucerase; gallium nitrate	X		
Pegvisomant	X		
Laronidase	X		
Galsulfase	X		
Agalsidase beta	X		
Miglustat	X		
4-hydroxyphenylpyruvate			
dioxygenase inhibitor	X		
Alglucosidase alfa	X		
Calcitonin-salmon: nasal			
(osteoporosis)		X	
Calcitonin-salmon: injectable		7.	X
Calcium receptor agonist			
(Sensipar)			x
Sodium phenylbutyrate;			
Betaine anhydrous;			
Cysteamine bitartrate	X		
Sodium benzoate; sodium			
phenylacetate	X		
Cabergoline	<u>x</u>		
Bromocriptine mesylate		X	
Agents for gout		x	
Emergency kits		X	
DETOXIFICATION AGENTS		^	
Antidotes:			
(includes Naltrexone)			
includes sodium nitrite;			V
pentatate calcium trisodium	and the second of the second o	ne initial i sector year / more supportantes in	X
(B) GASTRONTESTANAL ASSETS	CTP holder may NOT prescribe	CTP-bodes mey precibe	Physician entitles documentation format documentation required in the patient
			record)
Helicobacter pylori agents		X	
Histamine H2 antagonists		X	
Proton pump inhibitors		Х	
Sucralfate		X	
Prostaglandins		X	
Antacids		X	

0 1 1 1			
Gastroinetestinal			
anticholinergics/antispasmodic			
s		X	
Mesalamine; Olsalazine			
sodium; sulfasalazine		X	
Infliximab			X
Lubiprostone		X	
Laxatives		Х	
Antidiarrheals		Х	
Antiflatulents		Х	
Lipase inhibitors: Xenical,			
Orlistat		X	
GI stimulants		Х	
Digestive enzymes		Х	
Miscellaneous digestive	_		
products; gastric acidifiers;			
hydrocholeretics		X	
Gallstone solubilizing agents			X
Mouth and throat products	_	Х	
Systemic deodorizers		X	
Anorectal preparations		X	
Anoreotal preparations		プログランド 小型機能 記案器	Physician
			initialed/consulted
(16) HEMATOLOGICAL	CTP holder may NOT	CTP holder	formal documentation
AGENTS:	prescribe	may prescribe	required in the patient
			TOWN TO SEE THE PROPERTY OF
Hematopoietic agents	Market Committee		record)
Epoetin alfa; Darbepoetin			X
Colony-stimulating factors			^
		1	
	v		
Filgrastim; Pegfilgrastim	X		
Filgrastim; Pegfilgrastim Interleukins (Neumega)	X X		
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents			
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL;			
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole;		V(n.s.)	
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin		X(po)	
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors		X(po)	X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors			X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix)		X(po)	X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation			X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator:			X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium			X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator:	X		X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin)			X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium	X		X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants:	X		X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents;	X		
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents; thrombin inhibitors	X		X
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents; thrombin inhibitors Low molecular wt heparin;	X	X(po)	
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents; thrombin inhibitors Low molecular wt heparin; heparin;	X	X(po)	
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents; thrombin inhibitors Low molecular wt heparin; heparin; Warfarin	X	X(po)	
Filgrastim; Pegfilgrastim Interleukins (Neumega) Antiplatelet agents Anagrelide HCL; dipyridamole; dipyridamole & aspirin Glycoprotein inhibitors Aggregation inhibitors (eg. Plavix) Aggregation inhibitor/Vasodilator: Treprostinil sodium (Remodulin) Anticoagulants: antithrombin agents; thrombin inhibitors Low molecular wt heparin; heparin;	X	X(po)	

Coagulants: heparin antagonist			
(protamine sulfate)			X
Thrombolytic agents	X		
	<u>^</u>		
Antisickling agents (Droxia) Hemorrheologic agents	<u>`</u>		
	<u>`</u>		
Antihemophilic agents	^		
Antihemophilic factor	X		
combinations	^	V taninal	
Hemostatics		X topical	
Plasma expanders			X
Albumin			X
Hemin	X	An other little at the state of	Section of the sectio
(11) NOTRIENTS & MURETIONAL AGENTS:	CTP holder may NOT prescribe.	CTP fielder may prescabe	Physician initiated/consulted (formal documentation requirector the patient record)
Note:			refer to definitions page
Vitamins, minerals (includes			
magnesium sulfate), trace			
elements		X(PO)	X (parenteral)
Electrolytes		X(PO)	X (parenteral)
Systematic alkalinizers		X(PO)	X (parenteral)
Amino acids		X(PO)	X (parenteral)
Lipotropic products, fish oils		X(PO)	X (parenteral)
Enzymes		X(PO)	X (parenteral)
Oral nutritional supplements;			
nutritional combination		ĺ	
products		X(PO)	
Enteral nutritional therapy,			
hyperalimentation			X
Intravenous nutritional			
therapy: protein substrates,		}	
caloric intake, lipids, vitamins			
(parenteral), minerals,			
electrolytes, trace metals			
TPN			X
IV replenishment solutions			
Saline solutions: with & without			
dextrose		X	
Lactated ringers solutions: with			
& without dextrose		X	
IV solutions: D5 as diluent		X	
IV solutions: D10 as diluent		X	
Chelating agents:			
succimer; trientene HCL			
and see Section 3: Endocrine			
& Metabolic Agents for other			
chelating agents	X (parenteral)		X(PO)

Dialysis solutions			
Peritoneal dialysis			Х
Hemodialysis			X
(72) CPHTHALMIC & OTIC AGENTS: (TOPICAL)	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Agents for glaucoma			Χ
Non-steroidal anti-inflammatory agents (NSAIDs)			×
Corticosteroids			X
Cycloplegic Mydriatics		X	
Mast cell stabilizers		X	
Ophthalmic decongestant			
agents		X	
Antibiotics		Х	
Steroid antibiotic combinations	-		x
Sulfonamides		Х	
Steroid sulfonamide			
combinations			X
Ophthalmic antiseptics	X		
Ophthalmic antifungals	X		_
Antiviral agents	X		
Immunologic agents			
Cyclosporine ophthalmic			
emulsion (Restasis)			X
Selective vascular endothelial			
growth factor antagonist	X		
Ocular lubricants; artificial tears		x	
Ophthalmic punctal plugs	X		
Ophthalmic collagen implants			
	X		
Ophthamlic hyperosmolar			
preparations	X		
Contact lens products		Х	
Ophthalmic local anesthetics:			
Includes tetracaine,			
proparacaine, & miscellaneous			
combinations (include			
flouracine)		X	
Ophthalmic diagnostic			
products: Includes fluorescein			
strips		X	
Ophthalmic surgical adjuncts	X		
Opthalmic phototherapy	Χ		
Ophthalmic non-surgical			
adjuncts		X	
Otic preparations		Х	

PÖSTENVILA GERGÖRKIRARY AGERTS:	CTP holder may NOT prescribe	CTP notice may prescribe	Physician initiated/consulted florinal documentation required to the patient record)
Intersitial cystitis agents		PO	NON PO
Cellulose sodium phosphate		PO	NON PO
Impotence agents		PO	NON PO
Acetohydroxamic acid		PO	NON PO
Genitourinary irrigants		PO	NON PO
Cystine-depleting agents		PO	NON PO
Urinary alkalinizers		PO	NON PO
Urinary acidifiers		PO	NON PO
Anticholinergics		PO	NON PO
Urinary cholinergics		PO	NON PO
		PO	NON PO
Phosphate Binders		PU	NON FO
Polymeric Phosphate Binders		РО	NON PO
Vaginal preparations; miscellaneous vaginal preparations; douche products		×	
Contraceptive aids		PO	NON PO
Diuretics		PO	NON PO
(A) ÇESPÎNATIORY AGENTS:	CTP holder may NOT prescribe	GTP troloer nizy prescrible	Englician Initiated/consulted (fötnal/documentation reduced in the patient record)
Bronchodilators		PO/INHALED	
Leukotriene receptor			
antagonists		PO/INHALED	
Leukotriene formation inhibitors		PO/INHALED	
Monoclonal antibodies:			
Omalizumab (Xolair)	X		
Respiratory inhalant products		Х	
Respiratory inhalant			
combinations		X	
Nasal decongestants		X	
Respiratory enzymes			X
Lung surfactants			X
Antihistamines		Х	
Narcotic antitussives		X	
Nonnarcotic antitussives		X	
Expectorants		X	
Respiratory combination			
products		X	
Antiasthmatic combinations		X	

(15) OTHER:	CTP holder may NOT prescribe	CTP holder may prescribe	Physician initiated/consulted (formal documentation required in the patient record)
Blood products: including PRBC, FFP			
(Refer to Rule 4730-2-06)			X
Plasma expanders			X
IV replenishment solutions			
Saline solutions: with & without dextrose		Х	
Lactated ringers solutions: with & without dextrose		х	_
IV solutions with D5 as diluent		Х	
Oxygen		Х	